

A welder wearing a green protective jacket, a red and black plaid helmet with a clear face shield, and gloves is working on a metal table. Bright sparks are flying from the welding point. The background is a blue wall with a diamond plate pattern.

AQUA SHIELD™

**FIRE RETARDANT
DUST FREE
PROTECTION**



♻️ AQUA SHIELD™ ULTIMATE SURFACE PROTECTION Used for covering any surface during the manufacturing, building and repair processes. With its quadruple duty protection, Aqua Shield is fire retardant, leakproof, slip resistant and durable. It also provides dust-free protection and can be recycled once you're finished with it. Initially, this product line may seem more expensive than traditional surface protection products, but when its superior features are taken into consideration, these products truly become a better value.

FEATURES INCLUDE:

- Quick and easy to install, dramatically cutting labor costs—the 6' wide 25 mil product is equivalent to 33 sheets of Masonite or other 4' x 8' board products
- Leakproof and holds up to severe weather and elements—ideal for indoor or outdoor projects
- Provides dust-free protection unlike paper and board products—ideal for healthcare and clean room environments
- Durable and Reusable
- Slip Resistant
- Flame Retardant—tested and certified to NFPA-701 Test Method 2
- Helps you qualify for LEED points for its reusability and recyclability

ITEM #		UPC	PACK	PALLET	SIZE	SQ FT
87015	10mil Aqua Shield Runner	0-47034-87015-5	4	48 cs/plt	36"x15'	45
87100	10mil Aqua Shield Protector	0-47034-87100-8	1	42/pallet	36"x100'	300
87010	10mil Aqua Shield Protector	0-47034-87010-0	1	16/pallet	36"x393'	1,179
89106	10 mil Aqua Shield Protector	0-47034-89106-8	1	10/pallet	72"x393'	2,358
89186	25mil Aqua Shield Protector	0-47034-89186-0	1	16/pallet	36"x186'	558
89180	25mil Aqua Shield Protector	0-47034-89180-8	1	10/pallet	72"x180'	1,080
89120	40mil Aqua Shield Protector	0-47034-89120-4	1	16/pallet	36"x120'	360
89140	40mil Aqua Shield Protector	0-47034-89140-2	1	10/pallet	72"x120'	720

Meets National Fire Protection Association (NFPA) Test Method 701-2010 for flame propagation of textiles and films.

AQUA SHIELD™ SEAM TAPE PE-coated cloth backing with a natural rubber based aggressive adhesive provides an excellent balance of tensile strength and tearability.

ITEM #		UPC	PACK	SIZE
87090	Aqua Shield Seam Tape	0-47034-87090-2	16	72mm x 55m (use as 3")

Tested in accordance with UL 723





FIRE RETARDANT



LEAKPROOF



SLIP RESISTANT



DURABLE



DUST FREE!



 **TRIMACO**

www.trimaco.com | 800.325.7356

 facebook.com/TrimacoLLC

 twitter.com/TrimacoLLC

 instagram.com/Trimaco_LL_C